G. R. S. App. F. IX-4]

1942-3

War File No. 102-42

Previous References.

(- War -)

Serial Nos. 1 to 5.

Later References.

P 15

GENERAL AND REVENUE SECRETARIAT

Serial Nos. Five only.

Part B for December 1942.

SUBJECT.

Military telephone lines on the existing line of the Bethamangala water works.

W. W. Gunawardena
5. XII. 42.

1286
IW

General and Revenue Secretariat | W File No. 102 of 1942-3 | [App. F. III-2

Serial No. 1

From Director of Public Health No C 88 dt 23-10-42 States that it is reported that the Bridy house without permission laid telephone line on the existing telephone poles of the water supply dept. near Bethamangalam & that it is open to removal in case of trouble and requests for the action taken in the matter.

The Survey Engineer has addressed the C.L.O in the matter. The latter may perhaps be asked to report the action taken in the matter.

Submitted.

25/10

25/10

CHIEF SECRETARIAT 26 OCT.

2 NOV 1942 SECRETARIAT MADRAS

Issue 1966/W 7 30 Oct. 42 to CLO

Resbd.

NOTE—Cont. Sheet.

I think the CLO has sent a copy of his letter to the Collector for information.

4/11

W1/04155—GPB—55,000—23-10-41

1236
1385 W
File No. 1478/W. of 194 .

General and Revenue Secretariat

Serial No. 3

From The C.L.O

C.L.O 138/42-43 d 31st Octr. 42
~~d 31st Octr.~~ forwg for information
& post a copy of his D.O letter to
Major Power stating that it would be
convenient if he could arrange to consult the
Defence officers & that post before
carrying out works on telephone poles

forwd for perusal. A copy of
C.L.S.'s D.O to Major Power will be sent
to the Dr of P.H for information

RS 4/(xi)

for C.L.O.

Copies of the correspondence may be
sent to G.S. C.P.S. & Electrical also

11/11

11/11

forwd with a draft to the Dr of P.H & with
memo to the G.S. C.L.S. The file will be
forwd to the Secy Electrical Dept for perusal
after return.

for

Issue 2114/W d 13th Nov. 42 to the Dr of P.H
2115 memo G.S. C.L.S.

RS 12/(xi)

OFFICE OF MINISTER FOR LA
NOV 16 1942
No. 3978.

TYPE
12 NOV 1942

1385
1478/W

General and Revenue Secretariat | File No. | of 194 | [App. F. III—2

Serial No.

The file will now be dealt by the Chief Secy for perusal

Chief Secy

14/11/42

Chief Secy to C.J

15/11

ELECTRICAL SECRETARIAT
BANGALORE.
R. No. 1062
Date 13.11.42
14 NOV 1942

1478 - W.

General and Revenue Secretariat | File No. | of 194 | [App. F. III-2

Serial No.

The C.L.O has written a D.O letter to Major Powell asking the Military authorities to Consult the Departmental Officers also for before carrying out works on the telephone lines and the file was subd to the Chief Engg on 7th Nov. 42

JAS XII 41 Sec.

NOTE—Cont. Sheet.

W1X[4155- GPB—55,000—23-10-41

W 102-42-1.

~~D. O.~~ No. C 88 / 1286 / W

Office of the Director of Public Health in Mysore,

BANGALORE,
Camp Mysore
Dated .....October..23,..... 1942.

P. PARTHASARATHY, Esq., L.M.S., B.Sc.,
L.R.C.P., L.R.C., D.T.M., D.P.H.,
Director of Public Health.

To

The Chief Secretary totne
Government of Mysore, Bangalore.

Telephone line laid by the Military authorities on the existing telephone line poles belonging to the Bethamangala Water Works between Champion Reefs meter House and Bethamangala Pumping Station.

Sir,

I have the nonour to enclose nerewitn for the orders of Government a copy of Memo No.479 dated 14th October 1942 of tne Sanitary Engineer with copies of its enclosures on the above subject and to state that the Sanitary Engineer reports that tne Military authorities witnout any prior consultation or permission have laid tneir telephone line on the existing telephone line poles. In case of troubles and replacements, the Military telephone lines will have to be taken for repairs of the Bethamangala Water Works telephone lines.



I have the honour tobe,

Sir,

Your most obedient servant,

P. Parthasarathy

Director of Public Health.

KAJ

Report of the Electric Operator, Kolar Gold Fields Water Works, Bethamangala, to the Superintendent, Kolar Gold Fields Water Works, Bethamangala.

Regarding Telephone line.

I beg to bring to your notice that the Military authorities have laid their telephone line on the existing telephone line poles belonging to the water supply department running between Champion Reefs Meter House and Bethamangala Pumping Station. Ywin conductor insulated wire has been tied on to the cross arms of the poles with strings. No information is received by this office regarding this from Military Office.

In case of troubles and replacements, the Military line will have tobe let down and strung again.

No.479 Bangalore dated 14th October 1942.

Copy of the above is submitted to the Director of Public Health in Mysore, Bangalore for favour of information. This telephone line belongs to the Bethamangala water works. As stated by the Assistant Engineer, in case of troubles and replacements, the Military lines will have to be taken down for repairs of our own line. It is to be stated that as is not usual with the Military Department, no prior consult tion has been done in this instance nor was permission for making use our line posts obtained. It is requested that kind further action may be taken in the matter. I have also seen the Liasion Officer last week and intimated for taking further action. Copy of letter to him is enclosed.

"Copy"

Director of Public Health.

Letter No.1310 dated 12/13th October 1942 from the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, to the Liaison Officer, in Mysore, Bangalore.

Making use of the telephone line belonging to the Bethamangala water works, for running a separate telephone line for the use of the Military stationed at Bethamangala.

I have the honour to invite your kind reference to the personal talk I had with you in the matter referred to above. Copy of letter No.565 dated 6th October 1942 of the Assistant Engineer, No. 5 Sanitary Sub Division, Bethamangala enclosed will explain further details. It was necessary for the Military Officer to have consulted this Bureau in advance and obtained necessary permission before running their lines on our poles. It is understood that the area Command, Bangalore, has arranged for this line being laid. I request favour of your getting into touch with him and advise him suitably. As stated by the Assistant Engineer in his letter, in the event of troubles the Military line will have tobe taken down.

"Copy"

Director of Public Health.

Appendix F. G.—1]

SUBJECT Daily Telephone lines and Telegraph lines of the P.W.D. Amarigoda water works

Section

File No.

Serial No.

Diary No. of letter replied to.....

No.

To The R. E. & C. L. O.

General and Revenue Secretariat

( )

the *194* .

Sir,

I am directed to invite reference to letter No 1310 dt 12/10/42 October 1942 from the Sanitary Engineer to you on the above subject and to request you kindly to report for the information of Govt. the action taken by you in the matter.

I have etc

Date of issue.....

Signed by.....

List of enclosures.....

Copied by.....

Examined by.....

for Secy to Govt or Chief Secy

WD 04161—GPB—60,000—24-10-41

Eg.

No 1966/W d 30-10-42

W 102-42-2.

The Revenue Commissioner & Civil Liaison Officer
in Mysore.

MILITARY TELEPHONE LINE ON THE LINE OF THE BETHAMANGALA WATER WORKS.

I am directed to invite reference to letter No. 1310, dated 12th/13th October 1942 from the Sanitary Engineer to you on the above subject and to request you kindly to report for the information of Government the action taken by you in the matter.

I have the honour to be,
Sir,
Your most obedient servant,

For Chief Secretary to Government.

SC.

No. C.L.O.138/42-43.
Encl

OFFICE OF THE REVENUE COMMISSIONER
W 102-42-3. IN MYSORE,

Dated Bangalore, October 31, 1942. *194*

1385/W.

FROM

Rajasevaprasakta
B. T. Kesavaiengar, Esq., B.A.,
Revenue Commissioner in Mysore.
and Civil Liaison Officer.

To

Mothamed ul Mulk
Gulam Mohiyuddin Mehkri, Esq., B.A.,LL.B.,
Chief Secretary to Government of Mysore, Bangalore.

SIR,

Subject:— Military Telephone line on the line of the Bethamangala Water Works.

With reference to your letter No. 1966/40 dated 30th Oct. 1942 regarding the above, I have the honour to enclose for the information of Government a copy of my D.O.letter No.138/42-43 dated 20-10-1942 addressed to Major Power stating that the authorities concerned may kindly be advised to consult the departmental officers of the Mysore Government before carrying out works on our telephone poles etc.

War Secy. CHI... 3 NOV 1... GOVT OF

I have the honor to be,
Sir,
Your most obedient servant,

Revenue Commissioner and
Civil Liaison Officer.

SR.

Copy of D.O. Letter No. 138/42-43 dated 19-10-1942 from the Revenue Commissioner & Civil Liaison Officer in Mysore, Bangalore, to the Major Power, 'G' Area Head Quarters, Bangalore.

It has come to my notice that the Military authorities have laid their telephone line on the existing telephone line poles belonging to Water Supply Department running between Champion reefs Meter House and Bethamangala Pumping Station withoug obtaining the previous permission of the Bureau of Sanitary Engineering, Bangalore. In this connection, I had a talk with the Sanitary Engineer and he is of opinion that in case of troubles and replacements the Military line will have to be taken down and strung again. The authorities concerned may kindly be advised to consult the departmental officers of Mysore Government before carrying out works.

Copy.

M. N. Ramdahur

for Revenue Commissioner &
Civil Liaison Officer.

W 102-42-4. 1478 W

Gm 2325

D. O. No. C 88

Cell 2

P. PARTHASARATHY, ESQ., L.M.S., B.Sc.,
L.R.C.P., L.R.C., D.T.M., D.P.H.,
Director of Public Health.

Office of the Director of Public Health in Mysore,

BANGALORE,
Camp Mysore
Dated ..October..23,..... 194 2

To

The Secretary to Government,
Law Department, Bangalore.

SECY. LAW DEPT. GOVT OF MYSORE

GEN ... GOVT

Subject:- Telephone line laid by the Military authorities on the existing telephone line poles belonging to the Bethamangala Water Works running between Champion Reefs meter House and Bethamangala Pumping Station.

Sir,

I have the honour to enclose herewith for the orders of Government a copy of memo No.479 dated 14th October 1942 of the Sanitary Engineer with copies of its enclosures on the above subject and to state that the Sanitary Engineer reports that the military authorities without any prior consultation or permission have laid their telephone line on the existing telephone line poles. In case of troubles and replacements, the military telephone lines will have to be taken for repairs of the Bethamangala Water works telephone lines.

I have the honour tobe,

Sir,

Your most obedient servant,

C. P. [illegible]
Director of Public Health.

KAJ

In all such cases formal approval of Government might have perhaps been obtained. Submitted for perusal and orders if the Residency may be requested & advise the military authorities in the matter. It is ascertained that the Water Section has received a copy of this letter & is dealing with it. No action is necessary on this in this Branch. Submitted for perusal. This may be sent to the Water Section.

27.10.42

SECY. LAW DEPT. 4/29 GOVT OF MYSORE 27/X

Law Secy. 29/10

W. Sec'y 11/11

5-11-42

5/11

Letter No.1310 dated 12/13th October 1942 from the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, to the Liaison Officer, in Mysore, Bangalore.

Making use of the telephone line belonging to the Bethamangala water works, for running a separate telephone line for the use of the military stationed at Bethamangala.

I have the honour to invite your kind reference to the personal talk I had with you in the matter referred to above. Copy of letter No.565 dated 6th October 1942 of the Assistant Engineer, No. 5 Sanitary Sub Division, Bethamangala enclosed will explain further details. It was necessary for the Military Officer to have consulted this Bureau in advance and obtained necessary permission before running their lines on our poles. It is understood that the area Command, Bangalore, has arranged for this line being laid. I request favour of your getting into touch with him and advise him suitably. As stated by the Assistant Engineer in his letter, in the event of troubles the Military line will have tobe taken down.

"Copy"

Director of Public Health.

Report of the Electric Operator, Kolar Gold Fields Water Works, Bethamangala, to the Superintendent, Kolar Gold Fields Water Works, Betnamangala.

Regarding Telephone line.

I beg to bring to your notice that the military authorities have laid tneir telephone line on the existing telephone line poles belonging to tne water supply department running between Champion Reefs Meter House and Betnamangala Pumping Station. Ywin conductor insulated wire has been tied on to the cross arms of the poles with strings. No information is received by this office regarding this from Military Office.

In case of troubles and replacements, tne military line will have tobe let down and strung again.

No.479 Bangalore dated 14th October 1942.

Copy of the above is submitted to tne Director of Public Health in Mysore, Bangalore for favour of information. This telephone line belongs to the Bethamangala water works. as stated by tne Assistant Engineer, in case of troubles and replacements, tne military lines will have to be taken down for repairs of our own line. It is to be stated that as is not usual with tne Military Department, no prior consultation has been done in this instance nor was permission for making use our line posts obtained. It is requested that kind further action may be taken in the matter. I nave also seen the Mission Officer last week and intimated for taking further action. Copy of letter to him is enclosed.

"Copy"

Director of Public Health.

Appendix F. G.—1]

SUBJECT.....

.....

.....

Section War
File No. 102-42
Serial No. 5.

Diary No. of letter replied to.....

No. 2114/W (Enclme) d 12th Nov 1942

To

The Dr of P. H -

General and Revenue Secretariat

( )

the *194*

Sir,

With Refce to your
D. letter no C. 88 of 23rd Octr. 42
I am directed to enclose herein
for information a copy of letter of even
addressed to Major Powell stating
that the authorities concerned
may be advised to consult the
Defence Officers or this Govt
before carrying out works on
telephone poles &c.

Date of issue.....

Signed by.....

Please carry out instructions
in D. W.D. / Chief.

List of enclosures.....

I am

Sir

Your obedient Servant

Copied by.....

Memo No 2115/W (Encl 2)
d 12th Nov 1942 — for Chief Secretary to Govt
Copy to Q.S. C.S. with a copy of the letter of 23rd Octr.

Examined by.....

Dr of P. H. and the C.L.O's
Letter to the Major Powell
Jn

WD 04161—GPB—60,000—24-10-41